

Next-generation firewall with excellent scalability, performance and functionality

FEATURES AT-A-GLANCE

- Cost-effective next-generation firewall for larger remote/branch office or for entrylevel enterprise solutions, housed in a sleek 1U 19" rack appliance, delivering up 6 Gbps of firewall performance (plaintext throughput)
- Next-generation firewall services, including Clavister True Application Control, Clavister Content Security Services and User Identity Awareness
- Powerful stateful firewall with deep-packet inspection gives you a high level of security
- Flexible, dynamic routing and connectivity with support for link aggregation
- Built-in support for both IPsec and SSL
 VPN offers easy to use remote connectivity
- Security management is always included: centralized security management, Webbased management and command-line interface (CLI) are all included with Clavister Subscriptions
- High-end network infrastructure, such as traffic management, High Availability (HA), server load balancing and WAN load balancing, are all included with Clavister Subscriptions
- The perfect solution for remote offices, branch offices and entry-level enterprises

The Clavister W20 is a set of beautifully designed next-generation security appliances, targeted towards remote/branch offices and as entry-level enterprise security gateways. The Clavister W20 delivers next-generation firewall security at a break-through price point, offering advanced routing flexibility and comprehensive features without compromising security.

The Clavister W20 is an ideal solution for any organization that need premium network security in a cost-effective package.

Next-Generation Firewall Services

True Application Control

Clavister W20 fully supports True Application Control – one of our next-generation firewall security services.

Enabling True Application Control will help you to manage applications used in your network more safely. With added security you lower your overall risk exposure and as a result, costly security incidents and down-time can be avoided. It also gives you valuable insight in which applications are used by which user, and can therefore prioritize business critical application and increase your overall business productivity.

True Application Control not only recognize more application and data, it understands how these application behave and can act immediately on malicious behavior.

With its unique support for Deep Application Content Control (DACC) technology, our application control can perform in-depth analysis and control of application content with higher degree of control. DACC enables you to understand and visualize Skype IDs, SQL queries, Facebook chat text, VoIP call information and much more.



Connectivity Choices

The Clavister W20 is equipped with six 1GbE (RJ45) connectors. Thanks to the flexible routing capabilities of the Clavister W20, any port can be fully configured. This means you can configure access to management interfaces on a shared port or dedicate one specifically for the purpose. You can also choose to dedicate any selected port as the High Availability (HA) synchronization port in clustered High Availability configurations.

Clavister W20 also support link aggregation, which means that you have the added benefit of maximizing throughput and increase the resilience of your system.



RADIUS Relayer - Pinpoint Security

Clavister W20 includes support for RADIUS Relayer, which can provide user information and DHCP IP provisioning for RADIUS-based authenticated users.

For example, when a user roams over from a cellular network to an Enterprise Wi-Fi network for data access. This is useful as it allows for granular user and group-based policing of traffic and controlling access to network resources.



Advanced Routing

The Clavister W20 provide an advanced routing engine, including Policy-Based Routing, with seamless route failover. This allow for Dynamic Policy-Based Routing where traffic can be routed based on dynamic events, such as User Identity, latency, HTTP Get responses, etc.

This enable you to create truly flexible and sophisticated policies that reflect the true requirements of your network.

Clavister SSL Inspection for Application Control provides a high performance and non-intrusive way to identify and control even SSL encrypted applications.

True Application Control is included in the Clavister Security Subscription (CSS) service.

Content Security Services

Having a regular firewall is not enough to prevent attacks from happening on your network. As attacks become more severe and the threat land-scape becomes more dynamic, additional measures need to be in place to protect your network. Clavister offers best-of-breed content security services, including Intrusion Detection and Prevention System, network-centric Anti-Virus from Kaspersky Labs, and Web Content Filtering to add an additional security layer to your firewall. These content security services protect your network from advanced threats your firewall alone cannot stop. The Content Security Services are included in the Clavister Security Subscription (CSS) service.

User Identity Awareness

User Identity Awareness (UIA) provides granular visibility of user identity, and enables you to control network access at the user level. The User Identity Awareness together with our True Application Control functionality will provide you with an extremely powerful and versatile tool for granular visibility and control of "who-does-what-and-when" in your networks. You will have the ability to pinpoint user access to applications across both wired and wireless networks regardless of connecting device.

True Security Values

Clavister Subscriptions

We believe our customers should have choices. We also believe you should have it all. Therefore we offer you a choice between our comprehensive Clavister Product Subscription (CPS), or our all-inclusive, full service option, Clavister Security Subscription (CSS).

Clavister Product Subscription

The Clavister Product Subscription contains a high number of product service, such as software updates, centralized management support and flexible service plans.

CPS includes a hardware replacement service to offer you the best possible protection in case a hardware failure should occur. Finally to ensure you get the best out of your Clavister security gateway, we provide you with around-the-clock support from our award-winning technical support team – your dedicated resource with highly skilled engineers that help you out in case of need. The Clavister Product Subscription keeps your Clavister updated, online and ready for business twenty-four-seven.

Clavister Security Subscription

Clavister Security Subscription is a complete, all inclusive suite of product services. It contains all the services you get with Clavister Product Subscription, but extends the service offering by including a full set of next-generation firewall services, such as Clavister True Application Control, Web Content Filtering, Anti-Virus and Intrusion Detection and Prevention (IDP).

CSS offers best-in-class content services, which protect you from the more advanced types of malware and exploits. It grants you access to the latest software and signature updates keeping your infrastructure up to date and increasingly more stable and secure.

All Clavister Subscriptions are available in 12, 24, 36, 48 and 60 months service terms, offering you maximum security and flexibility.

For more information about Clavister Subscriptions, see the separate Clavister Subscriptions brochure.

True Flexibility - Get more performance when you need it

Clavister W20 is available in two models, each addressing specific customer requirements. Should your performance needs increase, Clavister offers you the flexibility to upgrade to a more powerful Clavister W20 without having to invest in new hardware. Just simply order the upgrade to your preferred Clavister W20 model and install the new license file. It is as simple as that.

This makes Clavister W20 a low risk choice in dynamic business environments where requirements can change overnight. Clavister provides you the performance when you need it, avoiding high up front investment costs to your security infrastructure or having to worry about costly upgrades.

Uptime Technologies

Clavister W20 comes with powerful features to ensure that your network infrastructure is online and ready for work. Features like High Availability (HA) is fully supported, as well as Fast Route Failover technologies and link aggregation, which ensures that your business is not affected by network downtime caused by link failure or hardware problem. It also support flood protection technologies to increase uptime in case your network is subjected to a Denial-of-Service (DoS) attack.

Powerful Firewall

The Clavister W20 is a next-generation firewall, but it also has all the traditional security features, such as stateful firewall with deep-packet inspection, and it is powered by our own in-house developed network security operating system, the Clavister cOS Core. As well as providing all traditional firewall functions, such as port blocking and proxy server, all Clavister firewall solutions incorporate next-generation firewall features to detect and block sophisticated application-level attacks. This means higher level of security, higher traffic throughput and minimal use of system resources.

Performance

Clavister W20 provides next-generation security services across all points of your network without sacrificing performance throughput. Purpose-built hardware running on our highly efficient network security operating system ensures that the firewall performance throughput is one of the highest in the industry, making sure that your Clavister firewall will not be a bottleneck in your network infrastructure.

Simplicity

We strive to make things easy to understand and easy to use. This includes everything from hardware design to security management. We build highly customizable enterprise-grade firewalls, and despite the inherent complexity, we make an effort of making it easy to use. For example, our highly acclaimed centralized security management system, Clavister InControl uses color-coded attribute groups to provide a clear overview over dependencies that the firewall rules have to each other, making human errors less likely to occur. By combining policies and services into one, firewall policy management can be simplified and more easy to use. This results in fewer policy rules, making it easier to manage and less likely to cause a security breach.

All-Inclusive Security Management

For any network, security management is one of the more important aspects. It has to be intuitive, efficient and easy to use for large enterprises, with multiple firewalls at multiple sites, and even in geographical disperse areas, keeping your security management consistent and cohesive, and up to date is a non-trivial task. All these security management systems are included with our Clavister cOS Core products – free of charge.

Clavister InControl - Centralized Security Management

Clavister InControl offers a comprehensive centralized management solution that will assist and help administrators perform their daily tasks faster, easier and in a more streamlined way. Its intuitive user interface and support for task-driven workflow management guides administrators through complex and repetitive tasks, thereby alleviating the burden of managing large installations. With support for triple-AAA (Authentication, Authorization and Audit) the integrity and configurations managed by the Clavister InControl system is kept under strict control. This level of control makes it easy to use delegated manage-

ment, allowing specific teams and personnel to access only designated parts of the system.

Clavister InControl can be extended to collaborate with a vast number of other management system with the use of Clavister InControl Software Development Kit (SDK). The Clavister InControl SDK enables organizations to integrate and extend existing system management tools with Clavister InControl management. For example, optimized provisioning systems, integrated help desk functionality.

Splunk for Clavister

Splunk for Clavister is a comprehensive Web-based reporting system that offers enterprise-level reporting with tight integration with all Clavister cOS Core-based products. Splunk supports real-time data analysis, with Key Performance Indicators (KPI), graphs, tables and long-term trending, scaling from a single Clavister security gateway to large data centers.

Splunk for Clavister enables you to visualize your Clavister security solution, including pinpointing problem areas, thwarted attacks and other security issues, and then turn them into business-level reports. You can also take advantage of the built-in scheduling and distribution features to make sure the right people get the right reports on time.

Other Management Options

In addition to our centralized management solution, we also provide the Clavister Web Management system, an easy-to-use Web-based security management solution that works for smaller installations with just a few firewalls. Each product also supports our comprehensive command-line interface (CLI), enabling you to script common tasks.







Next-Generation Firewall Security

By integrating world-class Next-Generation Firewall functionality, such as our Clavister True Application Control, Intrusion Detection and Prevention (IDP), Anti-Virus, Anti-Spam and Web Content Filtering with a stateful firewall with deep packet inspection, IPsec and SSL VPN connectivity, we are able to protect your organization against everything from network layer attacks to application layer threats, and even viruses and worms. While you have full control of who does what, when and with what.

Clavister cOS Core

Clavister cOS Core is our in-house developed, high-performance security network operating system. Every line of code is carefully crafted to ensure that it delivers maximum performance at all times. We take pride in delivering a product that we have full control over, rather than a mashup of open-source components.

Flexibility and Adaptability

Not all networks are created equally. Vast differences in network topology and configuration require a network security gateway to be able to accommodate all these differences. Our security gateways gives you the freedom to set routing policies with extreme granularity. A large number of parameters can be used to construct policies and rules to meet even the most demanding network installation.

Big on Performance - Low on Maintenance

All Clavister security gateways share a common trait: they all support Clavister Service Provisioning Network (CSPN). This secure, high-speed network ensures that all Clavister Security Subscription services are kept updated and current from newly emerging threats. This gives system administrators the freedom to concentrate on running their network without having to worry about having the latest security patches installed.

License Scalability

One important aspect of our products is scalability. Our licensing model offers you the ability to start with your performance needs today and upgrade your product incrementally as your organization grows. You also have the choice of two subscriptions models: the Clavister Security Subscription, our all-inclusive subscription, or the regular Clavister Product Subscription.

Low Total Cost of Ownership


Our goal is to provide a complete security solution that is more cost efficient than our competitors. Clavister security gateways, with their unique set of integrated security features, world-class service and support, and their powerful administration system, enables you to spend less time managing your security environment and keep your network defenses up to date, and thereby lower your network security infrastructure TCO significantly.

Flexible Product - Versatile Solutions

Thanks to its flexibility, Clavister W20 can be used in a number of different scenarios, ranging from single Clavister W20 to support a small office, to thousands of Clavister E5 located around the world, all connected to a headquarter firewall.

Branch Office Solution


A Clavister W20 is a perfect solution for managing branch offices. With performance ranging from 3 Gbps to 6 Gbps, the Clavister W20 can grow as fast as your branch office. Add another Clavister W20 for High Availability (HA) functionality and you have a serious next-generation firewall solution. It is not uncommon to add Clavister E5 products for remote offices to complete the solution. Unified centralized security management is include with all Clavister products making it easy to streamline security policies throughout the whole organization.



Entry-Level Enterprise Solution

Clavister W20 is an excellent solution for any entry-level enterprise. Powerful enough to cater for a large number of users, a clustered pair of Clavister W20 Pro can accommodate a wide range of security features, such as firewall functionality, traffic management, authentication, content security and next-generation firewall security.

This type of solution can easily be extended with branch or remote offices using Clavister E7 products. This makes it easy to manage security policies across the whole organization.



Where to Buy Clavister

For more information about where to buy Clavister products, visit www.clavister.com/partners. Additional resources and customer testimonials can be found at www.clavister.com/resources.

Performance and Capacity	Clavister W20	Clavister W20 Pro
Firewall Performance (plaintext throughput)	3 Gbps	6 Gbps
IPsec VPN Performance (large packets)	250 Mbps	300 Mbps
Maximum Concurrent Connections	250,000	500,000
Maximum Concurrent IPsec VPN Tunnels	250	500
Maximum Concurrent L2TP/PPTP/SSL VPN Tunnels	250	500
Maximum Number of Users	Unrestricted	Unrestricted
Maximum Number of Routing Tables (Virtual Routers)	10	15
Connectivity	Clavister W20	Clavister W20 Pro
Ethernet Interfaces	6 x 1GbE (RJ45)	
Interfaces for Management / High Availability (HA)	Yes, any Ethernet interface can be configured for Management/High Availability (HA)	
Configurable Internal / External / DMZ Ports	Yes	Yes
Local Console Port	Serial Console – RJ45	
Link Aggregation IEEE 802.1AX-2008 (Static/LACP)	Yes	Yes
Maximum Number of VLAN Interfaces IEEE 802.1Q	128	256
Service-VLAN Interfaces IEEE 802.1ad (Q-in-Q)	Yes	Yes
Product Specific Specification		
Form Factor	1U 19" ו	rack mount
Dimensions (height x width x depth)	44 mm x 431 mm x 305 mi	m (1.73 in x 16.97 in x 12.01 in)
Rack Mountable	Yes	
Hardware Weight / Package Weight	4 kg (8.82 lb) / 7 kg (15.43 lb)	
Power Specifications		
Power Supply (AC)	100-240VAC, 50-60 Hz, 3-1,5 A	
Average Power Consumption	37 W / 127 BTU	
Redundant Power Supply	No	
PSU Rated Power (W)	100 W	
Appliance Input	100-240VAC	
Environmental		
Cooling	Single built-in fan module	
Humidity	0% to 95% noncondensing	
Operational Temperature	5° to 45° C (41° to 113° F)	
Vibration / Shock	0.41 Grms2 (3-500 Hz) / 30 G

All Clavister Wolf Series products include a two (2) years standard RMA warranty.

Product Features

		_	ı	
ıre	w	н		

Warranty

Stateful Firewall / Deep Packet Inspection	Yes / Yes
IP Policies	ALLOW, DROP and REJECT
Multiple IP Rule Sets	Yes
User- and Group-Based Policies	Yes
Scheduled Policies	Yes
DoS and DDoS Detection and Prevention	Yes
Threshold Rules (Connection Count and Rate Limits)	Yes
IP Blacklisting / Whitelisting	Yes / Yes
TCP Sequence Number Tracking	Yes
Ingress Filtering / IP Spoofing Protection	
Access Rules	Yes
Strict Reverse Path Forwarding (RPF)	Yes
Feasible RPF by using Interface Equivalence	Yes
Address and Port Translation	
Policy-Based	Yes
Dynamic NAT (Source)	Yes
Symmetric NAT	Yes
NAT Pools	Yes
Static Source Translation	Yes
Static Destination Translation (Virtual IP/Port Forward)	Yes
NAT Hairpinning	Yes
Server Load Balancing (SLB)	
SLB Distribution Methods	Round-Robin, Connection-Rate
SLB Monitoring Methods	ICMP Echo, Custom TCP Port, HTTP Request/Response
SLB Server Stickiness	State, IP Address, Network
Mode of Operations	
Transparent Mode (Layer 2)	Yes
Routing Mode (Layer 3)	Yes

Mixed Transparent and Routing Mode	Yes
Routing	
Static Routing	Yes
Policy-Based Routing (PBR)	Yes
Scheduled Policy-Based Routing	Yes
Virtual Routing	Yes
Multiple Routing Tables	Yes
	Yes
Loopback Interfaces	Yes
Route Load Balancing (Equal-Cost Multipath) Route Failover	Yes
Route Monitoring Methods	ARP, ICMP Echo, Custom TCP Port, HTTP Request/Response
Source-Based Routing	Yes
Dynamic Routing	Vea
Policy-Based Dynamic Routes	Yes
OSPFv2 Routing Process (RFC2328)	Yes, multiple
OSPFv2 RFC1583 Compatibility Mode	Yes
OSPFv2 over VPN	Yes
Multicast	V
Multicast Forwarding	Yes
IGMPv2 Compatibility Mode (RFC2236)	Yes
IGMPv3 (RFC3376)	Yes
IGMP Proxy Mode	Yes
IGMP Snoop Mode	Yes
Transparent Mode (L2 Bridge Mode)	
Policy-Based	Yes
MPLS Passthrough	Yes
Spanning Tree BPDU Relaying	Normal (STP), Rapid (RSTP), Multiple (MSTP), Per VLAN Spanning Tree Plus (PVST+)
IP Address Assignment	
Per Interface Address Assignment	Yes
Static	Yes
DHCP Client	Ethernet, VLAN
PPPoE Client	Ethernet, VLAN
PPTP/L2TP Client	Yes
Network Services	
DHCP Server	Yes, multiple
DHCP Server Custom Options	Yes
DHCP Relay	Yes, multiple
IP Pool	Yes
Proxy ARP	Yes
Dynamic DNS Services	DynDNS.org, Dyns.cx, CJB.net, Peanut Hull
Custom HTTP Poster	Yes
Randwidth Managament	
Bandwidth Management	Yes
Policy-Based Bandwidth Management	Yes
Scheduled Policies	res
	\\ \\
	Yes / Yes / Yes
DSCP-/ToS-Based	Yes
DSCP- / ToS-Based Bandwidth Management per Group	Yes Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups	Yes Yes Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits	Yes Yes Yes Yes Yes
Bandwidth Guarantees/Limits/Prioritization DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding	Yes Yes Yes Yes Yes Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding	Yes Yes Yes Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header	Yes Yes Yes Yes Yes Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control	Yes Yes Yes Yes Yes Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control Recognizable Applications	Yes Yes Yes Yes VLAN, IPsec
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control Recognizable Applications Recognition of SSL Based Applications	Yes Yes Yes Yes Yes Yes Yes VLAN, IPsec < 2,000
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control Recognizable Applications Recognition of SSL Based Applications Application Control	Yes Yes Yes Yes Yes Yes Yes VLAN, IPsec < 2,000 Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits	Yes Yes Yes Yes Yes Yes Yes Yes VLAN, IPsec < 2,000 Yes 2,400
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control Recognizable Applications Recognition of SSL Based Applications Application Control Policy-Based	Yes Yes Yes Yes Yes Yes Yes Yes Yes VLAN, IPsec < 2,000 Yes 2,400 Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control Recognizable Applications Recognition of SSL Based Applications Application Content Control Policy-Based Policy Matching on Application	Yes Yes Yes Yes Yes Yes Yes Yes Yes VLAN, IPsec < 2,000 Yes 2,400 Yes Yes Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control Recognizable Applications Recognition of SSL Based Applications Application Content Control Policy-Based Policy Matching on Application Policy Matching on Application Content (Metadata)	Yes Yes Yes Yes Yes Yes Yes Yes VLAN, IPsec < 2,000 Yes 2,400 Yes Yes Yes Yes Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control Recognizable Applications Recognition of SSL Based Applications Application Content Control Policy-Based Policy Matching on Application Policy Matching on Application Content (Metadata) Policy Actions Intrusion Detection and Prevention	Yes Yes Yes Yes Yes Yes Yes VLAN, IPsec < 2,000 Yes 2,400 Yes Yes Yes Yes Yes Yes Yes Audit, DROP, Bandwidth Management
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control Recognizable Applications Recognition of SSL Based Applications Application Content Control Policy-Based Policy Matching on Application Policy Actions Intrusion Detection and Prevention	Yes Yes Yes Yes Yes Yes Yes VLAN, IPsec < 2,000 Yes 2,400 Yes
DSCP- / ToS-Based Bandwidth Management per Group Dynamic Bandwidth Balancing between Groups Packet Rate Limits DSCP Forwarding DSCP Copy to Outer Header Application Control Recognizable Applications Recognition of SSL Based Applications Application Content Control Policy-Based Policy Matching on Application Policy Matching on Application Content (Metadata) Policy Actions Intrusion Detection and Prevention	Yes Yes Yes Yes Yes Yes Yes VLAN, IPsec < 2,000 Yes 2,400 Yes Yes Yes Yes Yes Yes Yes Audit, DROP, Bandwidth Management

Protocol and Rate Anomaly Detection	Yes
Insertion and Evasion Protection	Yes
Dynamic IP Blacklisting	Yes
Automatic Signature Updates	Yes
Content Security	
Policy-Based	Yes
Protocol Validation	HTTP, HTTPS, FTP, SMTP, POP3, TFTP, SIP, H.323, PPTP, TLS/SSL
Web Content Filtering	,,,,,,,,,,,,
HTTP/HTTPS	Yes / Yes
Audit / Blocking Mode	Yes / Yes
Classification Categories	32
URL Whitelisting / Blacklisting	Yes / Yes
Customizable Restriction Pages	Yes
Cloud-Based URL Classification Source	Yes
SafeSearch Enforcement	Google, Yahoo, Bing
Anti-Virus	
Supported Protocols	HTTP, HTTPS, FTP, SMTP, POP3
Stream-Based Scanning	Yes
File Type Whitelisting	Yes
Scanning of Files in Archives (ZIP/GZIP)	Yes
Automatic Updates	Yes
Anti-Spam	
SMTP DNS Blacklisting	Yes
SNTP E-mail Rate Limiting	Yes
File Integrity	
Supported Protocols	HTTP, HTTPS, FTP, SMTP, POP3
File Type Whitelisting / Blacklisting	Yes / Yes
File Extension and MIME Type Verification	Yes
Application Layer Gateway	
HTTP / HTTPS (Content Security)	Yes
FTP (Content Security, NAT / SAT)	Yes
TFTP (NAT / SAT)	Yes
SIP (NAT / SAT)	Yes
H.323 / H.323 Gatekeeper (NAT / SAT)	Yes
SMTP (Content Security)	Yes
POP3 (Content Security)	Yes
SSL / TLS (Offloading)	Yes
PPTP (Passthrough, NAT / SAT)	Yes
IPsec VPN	
Internet Key Exchange	IKEv1
IKEv1 Phase 1	Main Mode, Aggressive Mode
IKEv1 Phase 2	Quick Mode
IPsec Modes	Tunnel, Transport
IKE Encryption	AES, 3DES, DES, Blowfish, Twofish, Cast-128
IPsec Encryption	AES, 3DES, DES, Blowfish, Twofish, Cast-128, NULL
AES Key Size	128, 192, 256
IKE/IPsec Authentication	SHA-1, SHA-256, SHA-512, MD-5
Perfect Forward Secrecy (DH Groups)	1, 2, 5, 14, 15, 16, 17, 18
IKE Config Mode	Yes
Dead Peer Detection (DPD)	Yes
Pre-Shared Keys (PSK)	Yes
X.509 Certificates	Yes
PKI Certificate Requests	PKCS#1, PKCS#3, PKCS#7, PKCS#10
Self-Signed Certificates	Yes
Certificate Authority Issued Certificates	Yes, VeriSign, Entrust etc.
Certificate Revocation List (CRL) Protocols	LDAP, HTTP
IKE Identity	IP, FQDN, E-mail, X.500 Distinguished-Name
Security Association Granularity	Net, Host, Port
Replay Attack Prevention	Yes
Policy-Based Routing	Yes
Virtual Routing	Yes
Roaming Client Tunnels	Yes
NAT Traversal (NAT-T)	Yes
IPsec Dial-on-Demand	Yes

IPsec Tunnel Selection Through	Firewall Rule Set, Routing, Policy-Based Routing
Redundant VPN Tunnels	Yes
IPsec Passthrough	Yes
SSL VPN TLS/SSL VPN	Van
	Yes
One-Time Client Installation	Yes
Browser Independent	Yes
VPN Policy Selection Through	Firewall Rule Set, Routing and Policy-Based Routing Yes
Split Tunneling SSL VPN IP Provisioning	IP Pool, Static
	IP POOI, Static
L2TP VPN	
L2TPv2 Client (LAC)	Yes
L2TPv2 Server (LNS)	Yes
L2TPv3 Client (LAC)	Yes
L2TPv3 Server (LNS)	Yes
LOTD Type of Selection Through	Yes
L2TP Tunnel Selection Through	Firewall Rule Set, Routing, Policy-Based Routing
L2TP Client Dial-on-Demand	Yes
L2TPv2 Server IP Provisioning	IP Pool, Static
Other Tunnels	
PPPoE Client (RFC2516)	Yes
Unnumbered PPPoE	Yes
PPPoE Client Dial-on-Demand	Yes
PPTP Client (PAC)	Yes
PPTP Client Dial-on-Demand	Yes
PPTP Server (PNS)	Yes
PPTP Server IP Provisioning	IP Pool, Static
MPPE Encryption (PPTP/L2TP)	RC4-40, RC4-56, RC4-128
Generic Router Encapsulation (RFC2784, RFC2890)	Yes
6in4 Tunneling (RFC4213)	Yes
Tunnel Selection Through	Firewall Rule Set, Routing, Policy-Based Routing
User Authentication	
Local User Database	Yes, multiple
RADIUS Authentication	Yes, multiple servers
RADIUS Accounting	Yes, multiple servers
LDAP Authentication	Yes, multiple servers
RADIUS Authentication Protocols	PAP, CHAP, MS-CHAPv1, MS-CHAPv2
XAUTH IKE/IPsec Authentication	Yes
Web-Based HTTP/HTTPS Authentication	Yes
Configurable HTTP/HTTPS Front-End	Yes
L2TP/PPTP/SSL VPN Authentication	Yes
Single Sign-On	
Device-Based Authentication (MAC Address)	Yes
ARP Authentication	Yes
RADIUS Relay	Yes
Active Directory Integration	Microsoft Windows Server 2003, 2008 R2, 2012
Client-less Deployment	Yes
Client Support	iOS, Android, Windows, OSX, Linux
Security Management	
Security Management Clavister InControl for Centralized Management	Yes
Clavister InControl for Centralized Management	HTTP and HTTPS
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management	HTTP and HTTPS Yes / Yes
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI)	HTTP and HTTPS Yes / Yes Yes
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI) Management Authentication	HTTP and HTTPS Yes / Yes Yes Local User Database, RADIUS
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI) Management Authentication	HTTP and HTTPS Yes / Yes Yes
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI) Management Authentication Remote Fall-Safe Configuration Local Console (RS-232)	HTTP and HTTPS Yes / Yes Yes Local User Database, RADIUS Yes Yes
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI) Management Authentication Remote Fail-Safe Configuration Local Console (RS-232)	HTTP and HTTPS Yes / Yes Yes Local User Database, RADIUS Yes Yes ICMP, TCP, UDP
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI) Management Authentication Remote Fail-Safe Configuration Local Console (RS-232) Traffic Simulation (CLI) Scripting (CLI)	HTTP and HTTPS Yes / Yes Yes Local User Database, RADIUS Yes Yes ICMP, TCP, UDP Yes
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI) Management Authentication Remote Fail-Safe Configuration Local Console (RS-232) Traffic Simulation (CLI) Scripting (CLI) Packet Capture (PCAP)	HTTP and HTTPS Yes / Yes Yes Local User Database, RADIUS Yes Yes ICMP, TCP, UDP Yes Yes
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI) Management Authentication Remote Fail-Safe Configuration Local Console (RS-232) Traffic Simulation (CLI) Scripting (CLI) Packet Capture (PCAP) System Upgrade	HTTP and HTTPS Yes / Yes Yes Local User Database, RADIUS Yes Yes ICMP, TCP, UDP Yes Yes SSH / WebUI / Clavister InControl
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI) Management Authentication Remote Fail-Safe Configuration Local Console (RS-232) Traffic Simulation (CLI) Scripting (CLI) Packet Capture (PCAP) System Upgrade System and Configuration Backup	HTTP and HTTPS Yes / Yes Yes Local User Database, RADIUS Yes Yes ICMP, TCP, UDP Yes Yes SSH / WebUl / Clavister InControl SSH / WebUl / Clavister InControl
Clavister InControl for Centralized Management Web User Interface (WebUI) SSH / SCP Management Command Line Interface (CLI) Management Authentication Remote Fail-Safe Configuration Local Console (RS-232) Traffic Simulation (CLI) Scripting (CLI) Packet Capture (PCAP) System Upgrade	HTTP and HTTPS Yes / Yes Yes Local User Database, RADIUS Yes Yes Yes ICMP, TCP, UDP Yes Yes Yes SSH / WebUl / Clavister InControl

Monitoring

Syslog	Yes, multiple servers
Clavister Log	Yes, multiple servers
Real-Time Log	WebUI, Clavister InControl
Log Settings per Policy	Yes
Log Export via WebUl	Yes
SNMPv2c Polling	Yes
SNMPv2c Traps	Yes
Real-Time Monitor Alerts (Log Action)	Yes
Real-Time Performance Monitoring	WebUI, Clavister InControl
Hardware Key Metrics Monitoring	CPU Load, CPU Temperature, Voltage, Memory, Fan, etc.

NOTE: Several third-party log monitoring plug-ins are available for Clavister firewalls. These monitoring plug-ins are either commercially available or via open source.

IPv6

ID O Decel Co. If see It is	
IPv6 Ready Certification	Core Protocols, Phase-2 Router
Neighbor Discovery	Yes
Proxy Neighbor Discovery	Yes
IPv6 Path MTU Discovery	Yes
ICMPv6	Yes
IPv6 Router Advertisement	Yes
Interfaces	Yes
Ethernet Interfaces	Yes
VLAN Interfaces (802.1q)	Yes
Link Aggregation IEEE 802.1AX-2008 (Static/LACP)	Yes
Interface IPv6 Address Assignment	Static
Firewall	
IP Policies	ALLOW, DROP and REJECT
Stateful Firewall	Yes
Ingress Filtering	Yes
IPv6 Routing / Policy-Based Routing	Yes / Yes
Functionality	
DHCPv6 Server	Yes
Application Control	Yes
High Availability	
Active Mode with Passive Backup	Yes
Firewall Connection State Synchronization	Yes
IKE / IPsec State Synchronization	Yes / Yes
User and Accounting State Synchronization	Yes
DHCP Server and Relayer State Synchronization	Yes
Synchronization of Dynamic Routes	Yes
IGMP State Synchronization	Yes
Server Load Balancing (SLB) State Synchronization	Yes
Configuration Synchronization	Yes
Device Failure Detection	Yes
Dead Link / Gateway / Interface Detection	Yes / Yes / Yes
Average Failover Time	< 800 ms

Specifications subject to change without further notice.

CID: 9150-0040-24 (2015/01)

About Clavister

Clavister (NASDAQ: CLAV) is a leading security provider for fixed, mobile and virtual network environments. Its award-winning solutions give enterprises, cloud service providers and telecoms operators the highest levels of protection against threats, with unmatched reliability. Clavister's performance in the security sector was recognized with the Product Quality Leadership Award from Frost & Sullivan. The company was founded in Sweden in 1997, with its solutions available globally through its network of channel partners. To learn more, visit www.clavister.com.

Where to Buy

www.clavister.com/partners

Contact

www.clavister.com/contact





WE ARE NETWORK SECURITY

Clavister AB, Sjögatan 6 J, SE-891 60 Örnsköldsvik, Sweden

■ Phone: +46 (0)660 29 92 00 ■ Fax: +46 (0)660 122 50 ■ Web: www.clavister.com